



## Test Report

No.: HKSL1606081672TX

Date: Jun 14, 2016

Page 1 of 11

TEJIDOS ROCA, S.L.  
PG  
POLIGONO INDUSTRIAL. SAN AGUSTIN S/N  
CEHEGIN, Murcia, 30430, Spain

The following samples were submitted by the client as:

Five samples of woven 100% cotton canvas cutting in (A) rojo (B) marron (C) negro (D) blanco (E) marino

SGS Job No. : HKSL1606081672TX

Colour : (A) rojo (B) marron (C) negro (D) blanco (E) marino

Fibre Content : 100% cotton

End Use : Shoes

Category : Children

Brand : YALTA

Fabric width : 160

Fabric weight : 310 GSM

Children sleepwear : no

Country Of Destination : Europe

Applicant's Proposed Care Instructions :

Sample Receiving Date : Jun 02, 2016

Test Performing Period : Jun 03, 2016 – Jun 14, 2016

As requested by client, SVHC screening is performed according to:

- One hundred and sixty eight (168) substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before December 17, 2015 regarding Regulation (EC) No 1907/2006 concerning the REACH.

Test Result(s) : Please refer to next page(s).

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





## Test Report

No.: HKSL1606081672TX

Date: Jun 14, 2016

Page 2 of 11

Summary :

According to the specified scope and analytical techniques, concentrations of tested SVHC are $\leq 0.1\%$ (w/w) in the submitted sample.	PASS
---	------

Signed for and on behalf of  
SGS Hong Kong Ltd.

\_\_\_\_\_  
Liu Wang, Andy  
Assistant Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Remark :**

1. The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the following SVHC related documents published by ECHA:
  - <http://echa.europa.eu/web/guest/candidate-list-table> (Candidate list)
  - <http://echa.europa.eu/addressing-chemicals-of-concern/authorisation/substances-of-very-high-concern-identification> (Consultation list)

These lists are under evaluation by ECHA and may subject to change in the future.
2. Test results in this report are based on the tested sample.  
This report refers to testing result of tested sample submitted as homogenous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article.
3. SGS adopts the interpretation of ECHA for SVHC in article unless indicated otherwise. Detail explanation is available at the following link:
  - [http://webstage.contribute.sgs.net/corpreach/documents/SGS-CTS\\_SVHC-paper-EN-11.pdf](http://webstage.contribute.sgs.net/corpreach/documents/SGS-CTS_SVHC-paper-EN-11.pdf)
4. If a SVHC is found over 0.1% (w/w), client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.
5. If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No. 1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation (EC) No. 1907/2006.

**Test Sample:**

Sample Description: Five samples of woven 100% cotton canvas cutting in (A) rojo (B) marron (C) negro (D) blanco (E) marino

Material No.	Component
1	Red fabric (A)
2	Brown fabric (B)
3	Black fabric (C)
4	White fabric (D)
5	Navy fabric(E)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Test Method:**

SGS In-House method - Analyzed by ICP-OES, GC-MS, UV-VIS, HPLC-DAD, HPLC-MS and colorimetric method

**Test Result (per article):**

No.	Substance Name	CAS No. / EC No.	Concentration (%)
			<u>1+2+3+4+5</u>
-	All tested SVHC	-	ND

**Notes :**

- RL = Reporting Limit. All RL are based on homogenous material.  
 ND = Not detected (lower than RL), ND is denoted on the SVHC substance.  
 NA^ = The submitted sample was found to contain significant amount of specific element(s) of SVHC. Upon further test verification and also information provided from client, the possibility that the element(s) content originate from SVHC is very unlikely, even though their presence cannot be exclude entirely. It may be assumed that the detected element(s) have a non-SVHC source.
- \* The test result is based on the calculation of selected element(s) / marker(s) and to the worst-case scenario. For detail information, please refer to the SGS REACH website:  
<http://www.sgs.com/en/Consumer-Goods-Retail/Toys-and-Juvenile-Products/Toys/REACH/Management-of-SVHC.aspx>  
  
 The client is advised to review the chemical formulation to ascertain above metal substances present in the article.  
  
 RL = 0.005% is evaluated for element (i.e. cobalt, arsenic, lead, sodium, chromium, chromium (VI), silicon, aluminum, zirconium, zinc, antimony, calcium, titanium, barium, potassium, strontium and cadmium respectively), except molybdenum RL = 0.0005%, boron RL = 0.0025%.
- The table above only shows detected SVHC, and SVHC that below RL are not reported. Please refer to Appendix for the full list of tested SVHC.
- The result is calculated based on the minimum sample weight for composite testing.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Appendix**

No.	Substance Name	CAS No./ EC No.	RL (%)	No.	Substance Name	CAS No./ EC No.	RL (%)
Candidate List of Substances of Very High Concern (SVHC) for authorization published on Oct 28, 2008							
1	4,4'-Diaminodiphenylmethane (MDA)	101-77-9/ 202-974-4	0.050	2	5-tert-butyl-2,4,6-trinitro- <i>m</i> -xylene (musk xylene)	81-15-2/ 201-329-4	0.050
3	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	85535-84-8/ 287-476-5	0.050	4	Anthracene	120-12-7/ 204-371-1	0.050
5	Benzyl butyl phthalate (BBP)	85-68-7/ 201-622-7	0.050	6	Bis(2-ethylhexyl)phthalate (DEHP)	117-81-7/ 204-211-0	0.050
7	Bis(tributyltin)oxide (TBTO)	56-35-9/ 200-268-0	0.050	8	Cobalt dichloride*	7646-79-9/ 231-589-4	0.005
9	Diarsenic pentaoxide*	1303-28-2/ 215-116-9	0.005	10	Diarsenic trioxide*	1327-53-3/ 215-481-4	0.005
11	Dibutyl phthalate (DBP)	84-74-2/ 201-557-4	0.050	12	Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified ( $\alpha$ -HBCDD, $\beta$ -HBCDD, $\gamma$ -HBCDD)	25637-99-4/ 247-148-4; 3194-55-6/ 221-695-9; (134237-50-6/-; 134237-51-7/-; 134237-52-8/-)	0.050
13	Lead hydrogen arsenate*	7784-40-9/ 232-064-2	0.005	14	Sodium dichromate*	7789-12-0/ 10588-01-9/ 234-190-3	0.005
15	Triethyl arsenate*	15606-95-8/ 427-700-2	0.005				
Candidate List of Substances of Very High Concern (SVHC) for authorization published on Jan 13, 2010							
16	2,4-Dinitrotoluene	121-14-2/ 204-450-0	0.050	17	Anthracene oil*	90640-80-5/ 292-602-7	0.050
18	Anthracene oil, anthracene paste*	90640-81-6/ 292-603-2	0.050	19	Anthracene oil, anthracene paste, anthracene fraction*	91995-15-2/ 295-275-9	0.050
20	Anthracene oil, anthracene paste; distn. Lights*	91995-17-4/ 295-278-5	0.050	21	Anthracene oil, anthracene-low*	90640-82-7/ 292-604-8	0.050
22	Diisobutyl phthalate	84-69-5/ 201-553-2	0.050	23	Lead chromate molybdate sulfate red (C.I. Pigment Red 104)*	12656-85-8/ 235-759-9	0.005
24	Lead chromate*	7758-97-6/ 231-846-0	0.005	25	Lead sulfochromate yellow (C.I. Pigment Yellow 34)*	1344-37-2/ 215-693-7	0.005
26	Pitch, coal tar, high temp.*	65996-93-2/ 266-028-2	0.050	27	Tris(2-chloroethyl)phosphate	115-96-8/ 204-118-5	0.050
Candidate List of Substances of Very High Concern (SVHC) for authorization published on Mar 30, 2010							
28	Acrylamide	79-06-1/ 201-173-7	0.050				
Candidate List of Substances of Very High Concern (SVHC) for authorization published on Jun 18, 2010							
29	Ammonium dichromate*	7789-09-5/ 232-143-1	0.005	30	Boric acid*	10043-35-3/ 233-139-2; 11113-50-1/	0.005

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

						234-343-4	
31	Disodium tetraborate, anhydrous*	1303-96-4 1330-43-4 12179-04-3/ 215-540-4	0.005	32	Potassium chromate*	7789-00-6/ 232-140-5	0.005

No.	Substance Name	CAS No./ EC No.	RL (%)	No.	Substance Name	CAS No./ EC No.	RL (%)
33	Potassium dichromate*	7778-50-9/ 231-906-6	0.005	34	Sodium chromate*	7775-11-3/ 231-889-5	0.005
35	Tetraboron disodium heptaoxide, hydrate*	12267-73-1/ 235-541-3	0.005	36	Trichloroethylene	79-01-6/ 201-167-4	0.050

**Candidate List of Substances of Very High Concern (SVHC) for authorization published on Dec 15, 2010**

37	2-Ethoxyethanol	110-80-5/ 203-804-1	0.050	38	2-Methoxyethanol	109-86-4/ 203-713-7	0.050
39	Acids generated from chromium trioxide and their oligomers: Chromic acid Dichromic acid Oligomers of chromic acid and dichromic acid*	7738-94-5/ 231-801-5; 13530-68-2/ 236-881-5	0.005	40	Chromium trioxide*	1333-82-0/ 215-607-8	0.005
41	Cobalt(II) carbonate*	513-79-1/ 208-169-4	0.005	42	Cobalt(II) diacetate*	71-48-7/ 200-755-8	0.005
43	Cobalt(II) dinitrate*	10141-05-6/ 233-402-1	0.005	44	Cobalt(II) sulphate*	10124-43-3/ 233-334-2	0.005

**Candidate List of Substances of Very High Concern (SVHC) for authorization published on Jun 20, 2011**

45	1,2,3-Trichloropropane	96-18-4/ 202-486-1	0.050	46	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6/ 276-158-1	0.050
47	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	68515-42-4/ 271-084-6	0.050	48	1-Methyl-2-pyrrolidone	872-50-4/ 212-828-1	0.050
49	2-Ethoxyethyl acetate	111-15-9/ 203-839-2	0.050	50	Hydrazine	7803-57-8 302-01-2/ 206-114-9	0.050
51	Strontium chromate*	7789-06-2/ 232-142-6	0.005				

**Candidate List of Substances of Very High Concern (SVHC) for authorization published on Dec 19, 2011**

52	1,2-Dichloroethane	107-06-2/ 203-458-1	0.050	53	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4/ 202-918-9	0.050
54	2-Methoxyaniline	90-04-0/ 201-963-1	0.050	55	4-tert-Octylphenol	140-66-9/ 205-426-2	0.050
56	Aluminosilicate Refractory Ceramic Fibres*	650-017-00-8 (Index no.)	0.005	57	Arsenic acid*	7778-39-4/ 231-901-9	0.005
58	Bis(2-methoxyethyl) ether	111-96-6/ 203-924-4	0.050	59	Bis(2-methoxyethyl) phthalate	117-82-8/ 204-212-6	0.050

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



60	Calcium arsenate*	7778-44-1/ 231-904-5	0.005	61	Dichromium tris(chromate)*	24613-89-6/ 246-356-2	0.005
62	Formaldehyde, oligomeric reaction products with aniline (technical MDA)	25214-70-4/ 500-036-1	0.050	63	Lead diazide*	13424-46-9/ 236-542-1	0.005
64	Lead dipicrate*	6477-64-1/ 229-335-2	0.005	65	Lead styphnate*	15245-44-0/ 239-290-0	0.005
66	N,N-dimethylacetamide (DMAC)	127-19-5/ 204-826-4	0.050	67	Pentazinc chromate octahydroxide*	49663-84-5/ 256-418-0	0.005
68	Phenolphthalein	77-09-8/ 201-004-7	0.050	69	Potassium hydroxyoctaoxo dizincatedichromate*	11103-86-9/ 234-329-8	0.005
70	Trilead diarsenate*	3687-31-8/ 222-979-5	0.005	71	Zirconia Aluminosilicate Refractory Ceramic Fibres*	650-017-00-8 (Index no.)	0.005
<b>No.</b>	<b>Substance Name</b>	<b>CAS No./ EC No.</b>	<b>RL (%)</b>	<b>No.</b>	<b>Substance Name</b>	<b>CAS No./ EC No.</b>	<b>RL (%)</b>

## Candidate List of Substances of Very High Concern (SVHC) for authorization published on Jun 18, 2012

72	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylen]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Blue 26)	2580-56-5/ 219-943-6	0.050	73	[4-[4,4'-bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3)	548-62-9/ 208-953-6	0.050
74	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2/ 203-977-3	0.050	75	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4/ 203-794-9	0.050
76	4,4'-bis(dimethylamino)benzophenone (Michler's Ketone)	90-94-8/ 202-027-5	0.050	77	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol	561-41-1/ 209-218-2	0.050
78	Diboron trioxide*	1303-86-2/ 215-125-8	0.005	79	Formamide	75-12-7/ 200-842-0	0.050
80	Lead(II) bis(methanesulfonate)*	17570-76-2/ 401-750-5	0.005	81	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1/ 202-959-2	0.050
82	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	2451-62-9/ 219-514-3	0.050	83	$\alpha,\alpha$ -Bis[4-(dimethylamino)phenyl]-4-(phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4)	6786-83-0/ 229-851-8	0.050
84	$\beta$ -TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	59653-74-6/ 423-400-0	0.050				

## Candidate List of Substances of Very High Concern (SVHC) for authorization published on Dec 19, 2012

85	[Phthalato(2-)]dioxotrilead*	69011-06-9/ 273-688-5	0.005	86	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0/ 284-032-2	0.050
87	1,2-Diethoxyethane	629-14-1/ 211-076-1	0.050	88	1-Bromopropane	106-94-5/ 203-445-0	0.050
89	3-Ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2/ 421-150-7	0.050	90	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated	-	0.050

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

# Test Report

No.: HKSL1606081672TX

Date: Jun 14, 2016

Page 8 of 11

91	4,4'-Methylenedi- <i>o</i> -toluidine	838-88-0/ 212-658-8	0.050	92	4,4'-Oxydianiline	101-80-4/ 202-977-0	0.050
93	4-Aminoazobenzene	60-09-3/ 200-453-6	0.050	94	4-Methyl- <i>m</i> -phenylenediamine	95-80-7/ 202-453-1	0.050
95	4-Nonylphenol, branched and linear	-	0.050	96	6-Methoxy- <i>m</i> -toluidine	120-71-8/ 204-419-1	0.050
97	Acetic acid, lead salt, basic*	51404-69-4/ 257-175-3	0.005	98	Biphenyl-4-ylamine	92-67-1/ 202-177-1	0.050
99	Bis(pentabromophenyl) ether (DecaBDE)	1163-19-5/ 214-604-9	0.050	100	C,C'-azodi(formamide) (ADCA)	123-77-3/ 204-650-8	0.050
101	Dibutyltin dichloride (DBT)	683-18-1/ 211-670-0	0.050	102	Diethyl sulphate	64-67-5/ 200-589-6	0.050
103	Diisopentylphthalate (DIPP)	605-50-5/ 210-088-4	0.050	104	Dimethyl sulphate	77-78-1/ 201-058-1	0.050
105	Dinoseb	88-85-7/ 201-861-7	0.050	106	Dioxobis(stearato)trilead*	12578-12-0/ 235-702-8	0.005
107	Fatty acids, C16-18, lead salts*	91031-62-8/ 292-966-7	0.005	108	Furan	110-00-9/ 203-727-3	0.050
109	Henicosafuoroundecanoic acid	2058-94-8/ 218-165-4	0.050	110	Heptacosafuorotetradecanoic acid	376-06-7/ 206-803-4	0.050
No.	Substance Name	CAS No./ EC No.	RL (%)	No.	Substance Name	CAS No./ EC No.	RL (%)
111	Hexahydro-2-benzofuran-1,3-dione, cis-cyclohexane-1,2-dicarboxylic anhydride, trans-cyclohexane-1,2-dicarboxylic anhydride	85-42-7/ 201-604-9; 13149-00-3/ 236-086-3; 14166-21-3/ 238-009-9	0.050	112	Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride	25550-51-0/ 247-094-1; 19438-60-9/ 243-072-0; 48122-14-1/ 256-356-4; 57110-29-9/ 260-566-1	0.050
113	Lead bis(tetrafluoroborate)*	13814-96-5/ 237-486-0	0.005	114	Lead cyanamidate*	20837-86-9/ 244-073-9	0.005
115	Lead dinitrate*	10099-74-8/ 233-245-9	0.005	116	Lead monoxide*	1317-36-8/ 215-267-0	0.005
117	Lead oxide sulphate*	12036-76-9/ 234-853-7	0.005	118	Lead tetroxide*	1314-41-6/ 215-235-6	0.005
119	Lead titanium trioxide*	12060-00-3/ 235-038-9	0.005	120	Lead titanium zirconium oxide*	12626-81-2/ 235-727-4	0.005
121	Methoxyacetic acid	625-45-6/ 210-894-6	0.050	122	N,N-Dimethylformamide	68-12-2/ 200-679-5	0.050
123	N-Methylacetamide	79-16-3/ 201-182-6	0.050	124	N-Pentyl-isopentylphthalate	776297-69-9 /-	0.050
125	<i>o</i> -Aminoazotoluene	97-56-3/ 202-591-2	0.050	126	<i>o</i> -Toluidine	95-53-4/ 202-429-0	0.050
127	Pentacosafuorotridecanoic acid	72629-94-8/ 276-745-2	0.050	128	Pentalead tetraoxide sulphate*	12065-90-6/ 235-067-7	0.005
129	Propylene oxide	75-56-9/ 200-879-2	0.050	130	Pyrochlore, antimony lead yellow*	8012-00-8/ 232-382-1	0.005
131	Silicic acid, barium salt, lead-doped*	68784-75-8/ 272-271-5	0.005	132	Silicic acid, lead salt*	11120-22-2/ 234-363-3	0.005

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



133	Sulfurous acid, lead salt, dibasic*	62229-08-7/ 263-467-1	0.005	134	Tetraethyllead*	78-00-2/ 201-075-4	0.005
135	Tetralead trioxide sulphate*	12202-17-4/ 235-380-9	0.005	136	Tricosafuorododecanoic acid	307-55-1/ 206-203-2	0.050
137	Trilead bis(carbonate)dihydroxide*	1319-46-6/ 215-290-6	0.005	138	Trilead dioxide phosphonate*	12141-20-7/ 235-252-2	0.005

## Candidate List of Substances of Very High Concern (SVHC) for authorization published on June 20, 2013

139	4-Nonylphenol, branched and linear, ethoxylated	-	0.050	140	Ammoniumpentadecafluorooctanoate (APFO)	3825-26-1/ 223-320-4	0.050
141	Cadmium	7440-43-9/ 231-152-8	0.005	142	Cadmium oxide*	1306-19-0/ 215-146-2	0.005
143	Di-n-pentyl phthalate	131-18-0/ 205-017-9	0.050	144	Pentadecafluorooctanoic acid (PFOA)	335-67-1/ 206-397-9	0.050

## Candidate List of Substances of Very High Concern (SVHC) for authorization published on Dec 16, 2013

145	Cadmium sulphide*	1306-23-6/ 215-147-8	0.005	146	Dihexyl phthalate	84-75-3/ 201-559-5	0.050
147	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0/ 209-358-4	0.050	148	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7/ 217-710-3	0.050
149	Imidazolidine-2-thione; 2-imidazoline-2-thiol	96-45-7/ 202-506-9	0.050	150	Lead di(acetate)*	301-04-2/ 206-104-4	0.005
151	Trixylyl phosphate	25155-23-1/ 246-677-8	0.050				

No.	Substance Name	CAS No./ EC No.	RL (%)	No.	Substance Name	CAS No./ EC No.	RL (%)
-----	----------------	--------------------	--------	-----	----------------	--------------------	--------

## Candidate List of Substances of Very High Concern (SVHC) for authorization published on Jun 16, 2014

152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4/ 271-093-5	0.050	153	Cadmium chloride*	10108-64-2/ 233-296-7	0.005
154	Sodium perborate; perboric acid, sodium salt*	- / 234-390-0 239-172-9	0.005	155	Sodium peroxometaborate*	7632-04-4/ 231-556-4	0.005

## Candidate List of Substances of Very High Concern (SVHC) for authorization published on Dec 17, 2014

156	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7 / 223-346-6	0.050	157	2-(2H-benzotriazol-2-yl)-4,6-ditertpentyphenol (UV-328)	25973-55-1 / 247-384-8	0.050
158	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate; DOTE	15571-58-1 / 239-622-4	0.050	159	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-	/	0.050

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

					stannatetradecanoate (reaction mass of DOTE and MOTE)		
160	Cadmium sulphate*	10124-36-4; 31119-53-6 / 233-331-6	0.005	161	Cadmium fluoride*	7790-79-6 / 232-222-0	0.005
Candidate List of Substances of Very High Concern (SVHC) for authorization published on Jun 15, 2015,							
162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with $\geq 0.3\%$ of dihexyl phthalate (EC No. 201-559-5)	68515-51-5; 68648-93-1/  271-094-0; 272-013-1	0.050	163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof]	/	0.050
Candidate List of Substances of Very High Concern (SVHC) for authorization published on Dec 17, 2015							
164	1,3-propanesultone	1120-71-4 / 214-317-9	0.050	165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1 / 223-383-8	0.050
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3 / 253-037-1	0.050	167	Nitrobenzene	98-95-3 / 202-716-0	0.050
168	Perfluorononan-1-oic acid (2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-hepta-decafluorononanoic acid and its sodium and ammonium salts	375-95-1; 21049-39-8; 4149-60-4 / 206-801-3	0.050				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

### Notes :

- 1 RL = Reporting Limit. All RL are based on homogenous material
- 2 \* The test result is based on the calculation of selected element(s) / marker(s) and to the worst-case scenario. For detail information, please refer to the SGS REACH website:

<http://www.sgs.com/en/Consumer-Goods-Retail/Toys-and-Juvenile-Products/Toys/REACH/Management-of-SVHC.aspx>

The client is advised to review the chemical formulation to ascertain above metal substances present in the article.

RL = 0.005% is evaluated for element (i.e. cobalt, arsenic, lead, sodium, chromium, chromium (VI), silicon, aluminum, zirconium, zinc, antimony, calcium, titanium, barium, potassium, strontium and cadmium respectively), except molybdenum RL = 0.0005%, boron RL = 0.0025%.

Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.